PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2000-195569

(43) Date of publication of application: 14.07.2000

(51)Int.Cl.

(22)Date of filing:

H01M 14/00

H01G 9/20

H01G 9/00

H01L 31/04

(21) Application number: 10-367446


24.12.1998

(71)Applicant: TOSHIBA CORP

(72)Inventor: NAITO KATSUYUKI

SAKURAI MASATOSHI TANAKA SHIGENORI HORIGUCHI AKIHIRO

(54) PHOTOCHEMICAL BATTERY AND ITS MANUFACTURE



(57) Abstract:

PROBLEM TO BE SOLVED: To provide a photochemical battery with a pigment layer capable of absorbing a larger amount of light and capable of absorbing light over a wider range of wavelengths.

SOLUTION: This photochemical battery has a structure made up by layering a semiconductor electrode, pigment layers 3, 4, a charge carrying layer 5, and a counter electrode 6, in order, and at least one of the electrodes is transparent, The photochemical battery is characterized in that the pigment layers 3, 4 are stacked pigment layers made up by stacking at least two pigment layers made of pigments different from each other, In this manufacturing method of the photochemical battery, a solution including a first pigment 3 electrified with a fixed polarity is brought into contact with and adsorbed to a surface of a semiconductor layer and then a solution including a second pigment 4 electrified with the opposite polarity to the first pigment 3 is brought into contact with and adsorbed to the first pigment, thus forming the stacked pigment layers.

LEGAL STATUS

[Date of request for examination]

26.03.2001

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

3505414

[Date of registration]

19.12.2003

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]